

Safety Data Sheet

Product identifier used on the label: **MAG 1 DOT 3 BF 12/1QT #120**

Stock Number: MG20BFPL

Revision Date: 09-25-2016

Replaces:

1. Identification

Product identifier used on the label: **MAG 1 DOT 3 BF 12/1QT #120**
Stock Number: MG20BFPL

Other means of identification:

Synonyms: No data available

Recommended use of the chemical and restrictions on use:

Recommended use: Brake Fluid

Restrictions on use: Uses other than those described above

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party: Warren Distribution, Inc.
727 S. 13th Street

Omaha, NE 68102

Phone number: +01 (800) 825-1235 +01 (402) 341-9397

E-mail address: sds@wd-wpp.com

Emergency phone number: CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard Symbols:



GHS Classification: Serious Eye Damage/Eye Irritation Category 1
Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure Category 2

Signal Word: Danger

Hazard Statements: Causes serious eye damage; May cause damage to organs through prolonged or repeated exposure

Precautionary Statements:

Prevention: Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing/eye protection/face protection.

Response: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Safety Data Sheet

Product identifier used on the label: MAG 1 DOT 3 BF 12/1QT #120

Stock Number: MG20BFPL

Revision Date: 09-25-2016

Replaces:

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazards not otherwise classified: No data available

% unknown toxicity (Inhalation Gas): 100 % of the mixture consists of ingredient(s) of unknown toxicity.

3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS #	%
Ethanol, 2-(2-(2-butoxyethoxy)ethoxy)-	No data available	143-22-6	15 - 40
Diethylene glycol	No data available	111-46-6	10 - 30

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation: This material does not present a hazard if inhaled. Remove individual to fresh air after an airborne exposure if any symptoms develop, as a precautionary measure.

Eye Contact: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin Contact: Wash with soap and water. Get medical attention if irritation develops or persists.

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this SDS.

Most important symptoms/effects, acute and delayed: Causes serious eye damage May cause damage to organs through prolonged or repeated exposure

Indication of immediate medical attention and special treatment needed, if necessary: Immediately call a POISON CENTER/doctor.

5. Fire-fighting measures

Safety Data Sheet

Product identifier used on the label: MAG 1 DOT 3 BF 12/1QT #120

Stock Number: MG20BFPL

Revision Date: 09-25-2016

Replaces:

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the chemical: No data available

Hazardous combustion products: Carbon monoxide, Carbon dioxide, Nitrogen containing gases

Special protective equipment and precautions for fire-fighters: No data available

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment needs must be evaluated based on the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits.

Methods and materials for containment and cleaning up: Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material. Gather and store in a sealed container pending a waste disposal evaluation.

7. Handling and storage

Precautions for safe handling: Mildly irritating material. Avoid unnecessary exposure. No data available

Conditions for safe storage, including any incompatibilities:

Safe storage conditions: Store in a cool dry place. Isolate from incompatible materials.

Materials to Avoid/Chemical Incompatibility: Strong acids, Strong oxidizing agents

8. Exposure controls/personal protection

Safety Data Sheet

Product identifier used on the label: MAG 1 DOT 3 BF 12/1QT #120

Stock Number: MG20BFPL

Revision Date: 09-25-2016

Replaces:

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
No data available				

Appropriate engineering controls: No engineering controls are likely to be required to maintain operator comfort under normal conditions of use.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Do not breathe dust/fume/gas/mist/vapors/spray.

Respirator Type(s): None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

Eye protection: Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available.

Skin protection: Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield.

Gloves: Butyl rubber, Natural latex,, Polyvinyl chloride

Other protective equipment: Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield.

General hygiene conditions: Wear protective gloves/protective clothing/eye protection/face protection.

9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state: Liquid

Color: Colorless to pale yellow

Odor: Strong

Safety Data Sheet

Product identifier used on the label: MAG 1 DOT 3 BF 12/1QT #120

Stock Number: MG20BFPL

Revision Date: 09-25-2016

Replaces:

Odor Threshold:	Not determined
pH:	8.6
Melting point/freezing point:	
Melting Point:	No data available
Freezing point:	No data available
Initial boiling point and boiling range (°C):	260
Flash Point (°C):	138
Flash Point Method:	ASTM D 93
Evaporation Rate:	No data available
Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	
Upper flammability or explosive limits:	Not established
Lower flammability or explosive limits:	Not established
Vapor pressure:	No data available
Vapor density:	6
Relative density:	1.04
Solubility(ies):	Complete; 100%
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	No data available
Decomposition Temperature:	305
Viscosity:	No data available
Volatile organic compound (VOC) content and percentage of volatiles:	0.000000

10. Stability and reactivity

Reactivity:	No data available
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	Hazardous polymerization will not occur.
Conditions to avoid (e.g., static)	Temperatures above the high flash point of this combustible material in

Safety Data Sheet

Product identifier used on the label: MAG 1 DOT 3 BF 12/1QT #120

Stock Number: MG20BFPL

Revision Date: 09-25-2016

Replaces:

discharge, shock, or vibration): combination with sparks, open flames, or other sources of ignition.
Impact or high temperatures can cause decomposition
Dried product residue (can act as an oxidizer).

Incompatible materials: Strong acids, Strong oxidizing agents

Hazardous decomposition products: Aldehydes

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact): Eye Contact

Symptoms related to the physical, chemical and toxicological characteristics: Causes serious eye damage May cause damage to organs through prolonged or repeated exposure

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Ingestion Toxicity: Although this product has a low order of acute oral toxicity, aspiration of minute amounts into the lungs during ingestion or vomiting may cause mild to severe pulmonary injury and possibly death.

Skin Contact: This material is estimated to be slightly irritating (Primary Irritation Index is 0.5 - 3.0 [rabbits]). Can cause minor skin irritation, defatting, and dermatitis.

Absorption: Estimated to be > 5.0 g/kg; practically non-toxic

Inhalation Toxicity: Harmful! Can cause systemic damage (see "Target Organs"). Likely to be practically non-toxic based on animal data.

Eye Contact: Causes serious eye damage

Sensitization: No data available

Mutagenicity: No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.

Carcinogenicity: None of the substances have been shown to cause cancer in long term animal studies. Not a carcinogen according to NTP, IARC, or OSHA.

STOT-single exposure: Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.

STOT-repeated exposure: May cause damage to organs through prolonged or repeated exposure

Safety Data Sheet

Product identifier used on the label: MAG 1 DOT 3 BF 12/1QT #120

Stock Number: MG20BFPL

Revision Date: 09-25-2016

Replaces:

Aspiration hazard: Non-hazardous under Aspiration category.

Other information: No data available

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethanol, 2-(2-(2-butoxyethoxy)ethoxy)-	OLD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit = 3480 mg/kg	No data available
Diethylene glycol	OLD50 Rat 1120 mg/kg	Dermal LD50 Rabbit = 11890 mg/kg	Inhalation LC50 (4h) Rat > 4.6 mg/L

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There are no components that are known or reported to cause cancer.			

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available): No data available

Ecological Toxicity Data:

Chemical Name	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available				

Persistence and degradability: Biodegrades at a moderate rate.

Biodegradation, adsorption to sediment, and bioconcentration to aquatic organisms should not be significant.

Bioaccumulative potential: Bioconcentration is not expected to occur.

Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

Other adverse effects (such as hazardous to the ozone layer): No data available

13. Disposal considerations

Safety Data Sheet

Product identifier used on the label: MAG 1 DOT 3 BF 12/1QT #120

Stock Number: MG20BFPL

Revision Date: 09-25-2016

Replaces:

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

Dispose of contents and container in accordance with local/regional/national/international regulations.

Contaminated packaging:

Recycle containers whenever possible.

14. Transport information

Carriage of dangerous goods by road (DOT), rail or inland waterways:

No data available

International carriage of dangerous goods by sea (IMDG/IMO):

No data available

International carriage of dangerous goods by air (IATA):

No data available

Environmental hazards (e.g., Marine pollutant (Yes/No)):

None.

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):

No data available

Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises:

No data available

15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

TSCA Status:

All components of this material are on the US TSCA Inventory or are exempt.

Regulated Components:

Chemical Name	CAS #	CERCLA	Sara EHS	Sara 313	U.S. HAP
Ethanol, 2-(2-(2-butoxyethoxy)ethoxy)-	143-22-6	N	N	N	N
Ethanol, 2-(2-(2-	112-50-5	N	N	N	N

Safety Data Sheet

Product identifier used on the label: MAG 1 DOT 3 BF 12/1QT #120

Stock Number: MG20BFPL

Revision Date: 09-25-2016

Replaces:

ethoxyethoxy)ethoxy)-					
Diethylene glycol	111-46-6	N	N	N	N
Ethanol, 2-(2-(2-methoxyethoxy)ethoxy)-	112-35-6	N	N	N	N
Tetraethylene glycol monobutyl ether	1559-34-8	N	N	N	N

Chemical Name	CAS #	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male
Ethanol, 2-(2-(2-butoxyethoxy)ethoxy)-	143-22-6	N	N	N	N
Ethanol, 2-(2-(2-ethoxyethoxy)ethoxy)-	112-50-5	N	N	N	N
Diethylene glycol	111-46-6	N	N	N	N
Ethanol, 2-(2-(2-methoxyethoxy)ethoxy)-	112-35-6	N	N	N	N
Tetraethylene glycol monobutyl ether	1559-34-8	N	N	N	N

Chemical Name	CAS #	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Ethanol, 2-(2-(2-butoxyethoxy)ethoxy)-	143-22-6	N	N	N	N	N
Ethanol, 2-(2-(2-ethoxyethoxy)ethoxy)-	112-50-5	N	N	N	N	N
Diethylene glycol	111-46-6	N	N	Y	N	Y
Ethanol, 2-(2-(2-methoxyethoxy)ethoxy)-	112-35-6	N	N	N	N	N
Tetraethylene glycol monobutyl ether	1559-34-8	N	N	N	N	N

Safety Data Sheet

Product identifier used on the label: MAG 1 DOT 3 BF 12/1QT #120

Stock Number: MG20BFPL

Revision Date: 09-25-2016

Replaces:

16. Other information, including date of preparation or last revision.

SDS Prepared by:

HAZADM

Revision Date:

09-25-2016

Revision Number:

66

Reason for revision:

Activated by Document Formulation Generation

References:

No data available

Other Info:

No data available

Disclaimer:

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.