

opti-myst<sup>®</sup>

It's not gas. **It's better.**

 **Dimplex<sup>®</sup>**

## Wall-mounts

A new level of realism  
you have to see  
to believe.

The revolutionary Opti-myst® fireplaces utilize ultrasonic technology to produce the most compelling flame and smoke effect in the market. As mist rises up through the media bed, light reflects against the water molecules creating a convincing illusion of flames and smoke.

The ideal alternative for gas or wood, Opti-myst offers incredible realism without the mess or costly installation of traditional fireplaces. Simply plug in, and enjoy!

### Wall-mount Fireplaces

Use in any space large or small, including bedrooms, bathrooms, foyers and more.

### Media Console and Mantels

Exquisitely designed with premium grade finishes and patented flame technology.

### Cassettes and Inserts

Plug-in cassettes and inserts, perfect for custom applications, as well as the new line of Opti-myst Pro direct-wire models for use in seamless built-in designs.



#### Redway

RDY20R | Black and Grey Finish  
30" W x 27¼" H x 7¾" D

 Supplemental Heat



#### Tate

TAH20R | Black Finish  
35½" W x 27½" H x 6¾" D

 Supplemental Heat



#### Brayden

BBK20R | Black and Grey Finish  
37⅛" W x 27¼" H x 7¼" D

 Supplemental Heat



#### NEW! Willowridge

OWF25BR-1448CP | Champagne Finish  
29¼" W x 31¾" H x 7¼" D

 Supplemental Heat

# Opti-myst® Cassettes and Inserts



**NEW!** DF1400C | 120V plug-in cassette  
DF1400CH | 120V plug-in cassette  
with heat receptacle  
16" W x 8<sup>1</sup>/<sub>8</sub>" H x 8<sup>5</sup>/<sub>8</sub>" D

 **Curved Plate**



DF1400L | 120V plug-in cassette  
DF1400LH | 120V plug-in cassette  
with heat receptacle  
16" W x 13" H x 8<sup>5</sup>/<sub>8</sub>" D



DF1400R | 120V plug-in cassette  
DF1400RH | 120V plug-in cassette  
with heat receptacle  
16" W x 8<sup>1</sup>/<sub>2</sub>" H x 8<sup>5</sup>/<sub>8</sub>" D



DF1600L | 120V plug-in cassette  
22<sup>1</sup>/<sub>4</sub>" W x 13" H x 8<sup>5</sup>/<sub>8</sub>" D



**NEW!** **Opti-myst® Pro**  
BOF4068L | Vertical  
19<sup>3</sup>/<sub>8</sub>" W x 32<sup>1</sup>/<sub>2</sub>" H x 10<sup>5</sup>/<sub>8</sub>" D

 **Direct-wired**  
 **Supplemental Heat**



**NEW!** **Opti-myst® Pro**  
BOF4056L | Portrait  
19<sup>5</sup>/<sub>8</sub>" W x 27<sup>5</sup>/<sub>8</sub>" H x 10<sup>5</sup>/<sub>8</sub>" D

 **Direct-wired**  
 **Supplemental Heat**






**NEW!** **Opti-myst® Pro**  
BOF6056L | Large Portrait  
25<sup>1</sup>/<sub>2</sub>" W x 27<sup>5</sup>/<sub>8</sub>" H x 10<sup>5</sup>/<sub>8</sub>" D

 **Direct-wired**  
 **Supplemental Heat**



**Opti-myst® Insert**  
DLGM29 | 27" Opti-myst® insert  
27" W x 14" H x 14<sup>1</sup>/<sub>4</sub>" D

 **Inner Glow Logs**  
 **Glowing Ashes**  
 **Metal Log Grate**

# Opti-myst® Cassettes and Inserts




|                                     | DFI600L | DFI400C /<br>DFI400CH | DFI400L /<br>DFI400LH | DFI400R /<br>DFI400RH | DLGM29 | BOF4068L | BOF4056L | BOF6056L |
|-------------------------------------|---------|-----------------------|-----------------------|-----------------------|--------|----------|----------|----------|
| Product width                       | 22¼"    | 16"                   | 16"                   | 16"                   | 27"    | 19¼"     | 19¼"     | 25½"     |
| Ember bed                           | Logs    | Curved plate          | Logs                  | Rocks                 | Logs   | Logs     | Logs     | Logs     |
| Finish/Colour                       | Black   | Black                 | Black                 | Black                 | Black  | Black    | Black    | Black    |
| Built-in heater                     |         |                       |                       |                       |        | •        | •        | •        |
| Flame operates with or without heat |         |                       |                       |                       |        | •        | •        | •        |
| Heat receptacle                     |         | DFI400CH only         | DFI400LH only         | DFI400RH only         |        |          |          |          |
| Volts                               | 120     | 120                   | 120                   | 120                   | 120    | 120      | 120      | 120      |
| Wattage                             | 200     | 200                   | 200                   | 200                   | n/a    | 1,400    | 1,400    | 1,400    |
| BTUs                                | 682     | 682                   | 682                   | 682                   | n/a    | 4,777    | 4,777    | 4,777    |
| Amps                                | 1.67    | 1.67                  | 1.67                  | 1.67                  | 2.7    | 11.67    | 11.67    | 11.67    |
| Remote control included             | •       | •                     | •                     | •                     | •      | •        | •        | •        |
| Limited Warranty                    | 1-year  | 1-year                | 1-year                | 1-year                | 1-year | 1-year   | 1-year   | 1-year   |

## Mantels



### Thompson




GDS29-1262BW | Burnished Walnut Finish  
Featuring polished black hearth surround and herringbone brick liner  
60" W x 46½" H x 22½" D  
*\*No heater included*

-  Inner Glow Logs
-  Glowing Ashes
-  Metal Log Grate



### Amsden

GDSOP-1382CN | Rocks  
GDSOPL-1382CN | Logs  
Black and Cinnamon Finish  
56½" W x 40½" H x 18¼" D

-  Supplemental Heat
-  Optional Metal Backing
-  Ember Bed Options
-  Room Divider



Shown with metal backing

## Specialty Features



### Supplemental Heat

Includes a powerful fan-forced heater designed to keep the rooms you spend the most time in warm and comfortable.



### Direct Wire

Fireplace can be direct-wired for a seamless look.



### Inner Glow Logs

Pulsating embers glow from within the realistic, hand crafted logs.



### Glowing Ashes

A natural arrangement of glowing ashes creates an authentic feel.



### Metal Log Grate

Traditional metal log grate enhances the fireplace look while cradling the handcrafted logs.



### Optional Metal Backing

Metal backer inserts into fireplace for dramatic presentation of flame effect.



### Ember Bed Options

Choose from logs molded from actual wood for incredible realism or natural-looking rocks for a contemporary look.



### Curved Plate

Flames rise from the center of a polished curved plate, creating a stylish and contemporary look.



### Room Divider

Finished on both sides. Perfect for separating spaces with style.



## Features



### Flame

Revolutionary ultrasonic technology produces a fine mist to create the illusion of flames and smoke.



### Remote

Includes a convenient remote control for ease of use at your fingertips.



### Economical

Economical to operate. Costing only pennies per hour.\*



### Green

The green alternative. No harmful particulates or emissions and 100% efficient.



### Instant Ambiance

Plugs into any standard household outlet.



### Quick Assembly

Sets up in minutes with step-by-step assembly instructions allowing you more time to enjoy your fireplace.



### Easy Fill Water Tank

Offers 12-14 hours of continuous operation before refilling.



### Safe

Completely safe, cool flames, no emissions.

\*Based on national average residential electricity rate. Rates vary.



### NEW! Quintus

GOS40C-1499SC | Silver Charcoal Finish  
Includes DFI400CH plug-in cassette  
with heat receptacle  
72½" W x 31¾" H x 21⅝" D



### Supplemental Heat

### Curved Plate



### Fully Assembled

## Media Console



### NEW! Mimico

GOS40C-1454RG | Rift Grey Finish  
Includes DFI400C plug-in cassette  
41¼" W x 61¼" H x 15¼" D \*No heater included



### Curved Plate



### Room Divider



### Fully Assembled



### Debenham

GDSOPR-1380CH | Rocks  
GDSOPL-1380CH | Logs  
Burnished Walnut Finish  
60⅛" W x 32⅜" H x 17½" D



### Supplemental Heat



### Ember Bed Options

# Opti-myst® Electric Fireplaces

|                                     | OWF25BR-1448CP | RDY20R       | TAH20R | BBK20R       | GOS40C-1454RG | GDSOP-1382CN     | GDSOPL-1382CN    | GDS29-1262BW     | GDSOPR-1380CH | GDSOPL-1380CH | GOS40C-1499SC   |
|-------------------------------------|----------------|--------------|--------|--------------|---------------|------------------|------------------|------------------|---------------|---------------|-----------------|
| Product width                       | 29¼"           | 30"          | 35½"   | 37¼"         | 41¾"          | 56½"             | 56½"             | 60"              | 60¼"          | 60¼"          | 72½"            |
| Ember bed                           | Rocks          | Rocks        | Rocks  | Rocks        | Curved Plate  | Rocks            | Logs             | Logs             | Rocks         | Logs          | Curved Plate    |
| Finish/Colour                       | Champagne      | Black & Grey | Black  | Black & Grey | Rift Grey     | Black & Cinnamon | Black & Cinnamon | Burnished Walnut | Chestnut      | Chestnut      | Silver Charcoal |
| Built-in heater                     | •              | •            | •      | •            |               | •                | •                |                  | •             | •             |                 |
| Flame operates with or without heat | •              | •            | •      | •            |               | •                | •                |                  | •             | •             |                 |
| Volts                               | 120            | 120          | 120    | 120          | 120           | 120              | 120              | 120              | 120           | 120           | 120             |
| Wattage                             | 1,400          | 1,400        | 1,400  | 1,400        | n/a           | 1,200            | 1,200            | n/a              | 1,200         | 1,200         | 200             |
| BTUs                                | 4,777          | 4,777        | 4,777  | 4,777        | n/a           | 4,095            | 4,095            | n/a              | 4,095         | 4,095         | 682             |
| Amps                                | 11.67          | 11.67        | 11.67  | 11.67        | 2.7           | 10.0             | 10.0             | 2.7              | 10.0          | 10.0          | 1.67            |
| Remote control included             | •              | •            | •      | •            | •             | •                | •                | •                | •             | •             | •               |
| Limited Warranty                    | 1-year         | 1-year       | 1-year | 1-year       | 1-year        | 1-year           | 1-year           | 1-year           | 1-year        | 1-year        | 1-year          |

Your authorized Dimplex dealer:

Specifications, finishes and dimensions are subject to change and should be taken as a guide only. Protected by one or more of the following patents: U.S. Patents: 7,967,690, 8,136,276, 8,361,367, 8,413,358. Other patents pending. © 2014 Dimplex North America Limited.



Visit us online at: [www.dimplex.com](http://www.dimplex.com)



**Dimplex**<sup>®</sup>  
Better solutions through innovation